

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	574	(337/30,157,401,405).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 17:37
L2	1714	(361/115).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 17:37
L3	449	(200/61.08).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 17:37
S8	554	(pyrotechnic\$4 exothermal\$4) near3 (fuse breaker interrupter switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 12:49
S9	109	S8 and terminal\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 13:48
S10	445	S8 not S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 13:52
S11	66	("337"/\$.ccls. 29/623.ccls.) and (pyrotechnic\$4 exothermal\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 13:55
S12	477	("337"/\$.ccls. 29/623.ccls.) and (vortman.xa. vortman.xp.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 13:55

S14	8	(pyrotechnic\$4 exothermical\$4) and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 13:56
S15	36	(pyrotechnic\$4 exothermical\$4 explos\$4) and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 13:56